



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/676,377	09/30/2003	Ulrich Neumann	06666/156001/USC-3345	3241

20985 7590 06/21/2006

FISH & RICHARDSON, PC  
P.O. BOX 1022  
MINNEAPOLIS, MN 55440-1022

EXAMINER
----------

AMINI, JAVID A

ART UNIT	PAPER NUMBER
----------	--------------

2628

DATE MAILED: 06/21/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

10/676,377

Applicant(s)

NEUMANN ET AL.

Examiner

Javid A. Amini

Art Unit

2628

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 03 March 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☐ Claim(s) \_\_\_\_\_ is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 2-10, 12-13, 15, 23, 25-26, 29-31, 33-34, 37-39, and 45-47 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_

***Claim Rejections - 35 USC § 112***

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claims 2-10, 12-13, 15, 23, 25-26, 29-31, 33-34, 37-39, and 45-47 rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter, which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention.

Regarding the independent claims 12, 17, 22, 29, and 37:

Re. claim 12 at third line, the terms “a height field” is not defined in the specification to represent how does the height of the surface compute at each point?

Re. claim 17, the language of “a viewpoint separate from viewpoints associated with the multi image sensors” is not clear how the viewpoint is separated from viewpoints associated with the multi image sensors in the specification.

Re. claim 22 at line five similar arguments as argued in claim 12.

Re. claim 29. at lines 30-31 uses “ ... a temporal pixel average of five recent image frames...” that is not defined in the specification to clear the five points as a Stencil or something else.

Re. claim 37 at lines 32-33 similar arguments as argued in claim 29.

***Claim Objections***

The numbering of claims is not in accordance with 37 CFR 1.126 which requires the original numbering of the claims to be preserved throughout the prosecution. When claims are canceled, the remaining claims must not be renumbered. When new claims are presented, they must be numbered consecutively beginning with the number next following the highest numbered claims previously presented (whether entered or not).

Claim 16 is depending to itself; it should be dependent to claim 15.

***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 2-10, 12-13, 15, 23, 25-26, 29-31, 33-34, 37-39, and 45-47 rejected under 35

U.S.C. 103(a) as being unpatentable over Frederick Weinhaus and Venkat Devarajan with title of "Texture Mapping 3D Models of Real-World Scenes" ACM Vol. 29, No.4 1997 pp.325-363, (hereinafter refers as Frederick), and further in view of Moura et al. US 6,760,488B1, (hereinafter refers as Moura).

Claim 12.

Moura in fig. 4 steps 32, 38 and 42 illustrates the following claim languages: A method comprising: generating a three dimensional model of an environment from range sensor information representing a height field for the environment; Moura at col. 2 lines 37-38 the

Art Unit: 2628

system includes: an image sensor for capturing a sequence of two-dimensional images of a scene.

Moura at col. 3, lines 4-6 teaches the invention uses a parametric description of the shape and the induced optical flow parameterization which has advantages over the prior arts tracking feature points that may be unreliable when processing noisy video sequences. As a result, to alleviate this situation in the prior art, it is known to assume a very short interval between frames for easy tracking. See following part of the claim: tracking orientation information of at least one image sensor in the environment with respect to the three-dimensional model in real-time; Moura at col. 22 lines 2-8 teaches that the 3D models obtained from the video data according to the present invention may be used to build a synthetic image sequence. This synthesis is achieved by specifying the sequence of viewing positions along time. The user specifies the viewing positions, either in an interactive way or from an automatic procedure.

The next step of the claim i.e. projecting real-time video imagery information from the at least one image sensor onto the three-dimensional model based on the tracked orientation information; Moura at cols. 1-2, lines 66-67 and 1-11, respectively, teaches according to one known technique which does not require computing of an estimate of the absolute depth as an intermediate step, the 3D positions of the feature points are expressed in terms of Cartesian coordinates in a world-centered coordinate system, and the images are modeled as orthographic projections. The 2D projection of each feature point is tracked along the image sequence. The 3D shape and motion are then estimated by factorizing a measurement matrix whose entries are the set of trajectories of the feature point projections. The factorization of the measurement

Art Unit: 2628

matrix, which is rank 3 in a noiseless situation, is computed by using a Singular Value Decomposition (SVD) expansion technique.

Moura in figs. 12a and 13a illustrates visualizing the three-dimensional model with the projected real-time video imagery.

Moura for the following section of the claim “wherein projecting the real-time video imagery information comprises generating a depth map image from a video sensor viewpoint, and projective texture mapping the real-time video imagery information onto the three dimensional model conditioned upon visibility as determined from the generated depth map image” clearly in fig. 4 and at col. 26 lines 5-22 teaches the feature points were tracked by matching the intensity pattern of each feature along the sequence. Using the rank 1 weighted factorization described hereinbefore, the 3D motion and the relative depth of the feature points was recovered from the set of feature trajectories. Fig. 15 show two perspective views of the reconstructed 3D shape with the texture mapped on it. The angle between the walls is clearly seen and the round edge is also reconstructed.

Moura is silenced about the limitations in next part of the claim, however, Frederick at second column second paragraph on page 349 teaches the claim limitations a An SGI computer was used to perform the rendering by simply interpolating the color values across the triangles and by using a depth-buffer to remove hidden pixels. See part of the claim’s limitations: wherein generating the depth map image and projective texture mapping the real-time video imagery information are performed using a one-pass approach on graphics hardware that supports SGI OpenGL extensions.

Frederick is silenced to have one image sensory comprises multi image sensors.

Thus, it would have been obvious to one ordinary skill in the art at the time the invention was made to combine Moura's fig. 17 step 24 into Frederick's texture mapping for an efficient and less computationally-intensive technique to recover 3D structure from a 2D image sequence.

Claim 2.

Frederick on page 355 at first col. teaches that in this system, 3D models composed of parametric primitives such as blocks, pyramids, and the like are manually composited to approximate the geometry of the architectural structure using the imagery as a visual guide.

Claim 3.

Frederick in fig. 3c illustrates the claim limitations.

Claim 4.

Frederick on page 356 at second col. teaches that retrieving the most appropriate oblique perspective image stored in the video disk bank and then warp it according to Equation (1) to simulate the pilot's or sensor's view of the gaming area at that instance in time. Since these operations were accomplished in real-time, it would give the illusion of smooth interactive motion through the gaming area.

Claim 5.

Frederick on page 342 at first col. teaches the height-field approach also has been applied to the urban setting where the elevations of the terrain posts are raised locally to account for the heights of buildings. Frederick on page 344 at the bottom of first col. teaches under section 3.2.2 Point Projection Approaches for Height Fields.

Claim 6.

Art Unit: 2628

Frederick on page 349 at second col. teaches in Hughes' approach, only those terrain elevation tiles that were found to lie at least partially within the output image's ground "footprint" (projection onto the  $X, Y$  ground plane) were rendered. The terrain elevation model and imagery resolutions were selected as a function of distance between the terrain elevation tile and the eye point so that coarse resolution could be used for more distant regions. Terrain elevation tiles were then tessellated into triangular meshes at the specified resolution.

Claim 7.

Frederick on page 355 at first col. teaches it may even be moved along the ray from the eye point to the object. Shadow mensuration is an option that can be used to help in 3D model construction. Also, shadows can be rendered into a graphic overlay on the transformed view. Semi-automated 2D feature extraction tools, such as road following and the detection of boundaries of buildings whereby the user starts the extraction process with a manual cue, also are included. SRI also has experimented with automatic extraction of 3D models of buildings and used their system to portray the results.

Claims 8-9.

Frederick on page 327 at first col. under section (4) teaches the claim limitation. Frederick on page 326 at second col. teaches Volotta interactive video has put together a system, called the Mars Navigator.

Claim 10.

Frederick on page 340 at the bottom of first col. teaches multiple views.

Claim 13.



Art Unit: 2628

Frederick on page 352 at second col. teaches a combination of automatic stereo compilation followed by manual editing can be used to generate the terrain elevation model.

Claim 22.

See rejection of claim 12 that applies to the rejection for claim 22.

Claim 15.

Frederick on page 340 at the bottom of first col. teaches multiple views.

Claim 16.

Frederick on page 360 at first col. teaches the claim limitation.

Claim 17.

The claim limitation is obvious because when generating a 3D image, the viewpoint of the video imagery projection should be separate from viewpoints from multiple image sensors.

Claim 18.

Frederick in fig. 8 illustrates the claim limitation.

Claim 19.

Frederick on page 342 at first col. teaches the height-field approach also has been applied to the urban setting where the elevations of the terrain posts are raised locally to account for the heights of buildings. Frederick on page 344 at the bottom of first col. teaches under section 3.2.2 Point Projection Approaches for Height Fields. Frederick on page 349 at second col. teaches in Hughes' approach, only those terrain elevation tiles that were found to lie at least partially within the output image's ground "footprint" (projection onto the  $X, Y$  ground plane) were rendered. The terrain elevation model and imagery resolutions were selected as a function of distance between the terrain elevation tile and the eye point so that coarse resolution could be used for

Art Unit: 2628

more distant regions. Terrain elevation tiles were then tessellated into triangular meshes at the specified resolution.

Claim 20.

Frederick in fig. 8 illustrates the claim limitation.

Claim 21.

Frederick on page 355 at bottom of first and top of the second columns teaches a novel view-dependent texture-mapping technique is used to render the architectural model. Multiple photographs are projected onto the model in order to texture its surface completely. (An image-space shadow-mapping algorithm based on a z-buffer is used to keep track of obscurations.) However, since the photographs overlap, the rendering algorithm must decide which photograph or photographs to use at each output pixel.

Claim 23.

Frederick on page 339 at first col. teaches in addition to showing transformed images in perspective, panoramic, and orthographic formats, they also presented a pair of transformed images that could be viewed stereoscopically in 3D. Frederick on page 355 at bottom of first and top of the second columns teaches a novel view-dependent texture-mapping technique is used to render the architectural model. Multiple photographs are projected onto the model in order to texture its surface completely. (An image-space shadow-mapping algorithm based on a z-buffer is used to keep track of obscurations.) However, since the photographs overlap, the rendering algorithm must decide which photograph or photographs to use at each output pixel.

Claim 29.

See rejection of claim 12 that applies to the rejection for claim 29.

Art Unit: 2628

Claim 25.

Frederick in fig. 8 illustrates the claim limitation.

Claim 26.

Frederick in fig. 4 illustrates the claim limitations.

Claim 30.

Frederick on page 355 at second col. teaches a weighted average of the textures from the overlapping images is used, where the weights are the angular deviations of the viewing vectors of each source image from that of the output view. Moreover, to avoid visible “seams,” the weights are ramped near the boundaries of source photographs. Optionally, a model-based stereo correlation algorithm may be used to refine the 3D model to include finer detail such as recessed windows, and the like, and to increase the fidelity of the texture-mapped rendering.

Claim 31.

Frederick in fig. 8 illustrates the claim limitation.

Claim 37.

See rejection of claim 12 that applies to the rejection for claim 37.

Claim 33.

Frederick in fig. 8 illustrates the claim limitation.

Claim 34.

Frederick in fig. 4 illustrates the claim limitations.

Claim 38.

Art Unit: 2628

Frederick on page 327 at first col. under section (4) teaches the claim limitation.

Frederick on page 326 at second col. teaches Volotta interactive video has put together a system, called the Mars Navigator.

Claim 39.

Frederick on page 342 at first col. teaches the height-field approach also has been applied to the urban setting where the elevations of the terrain posts are raised locally to account for the heights of buildings. Frederick on page 344 at the bottom of first col. teaches under section 3.2.2 Point Projection Approaches for Height Fields. Frederick on page 349 at second col. teaches in Hughes' approach, only those terrain elevation tiles that were found to lie at least partially within the output image's ground "footprint" (projection onto the  $X, Y$  ground plane) were rendered. The terrain elevation model and imagery resolutions were selected as a function of distance between the terrain elevation tile and the eye point so that coarse resolution could be used for more distant regions. Terrain elevation tiles were then tessellated into triangular meshes at the specified resolution.

Claim 45.

Frederick in table 1 teaches the claim limitation.

Claim 46.

Frederick on page 338 teaches the selected portions of some of these frames corresponding to face-on views of building facades were mapped onto the faces of 3D models of the buildings. Distant mountains were also textured to add a sense of realism. Computer synthesized images simulating driving down the streets as well as low altitude views were then

Art Unit: 2628

generated in segments and stored on video disk for later playback under joystick control. During playback, turns could only be initiated at selected locations such as street intersections.

Claim 47.

Frederick in table 1 teaches the claim limitation.

***Conclusion***


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Javid A. Amini whose telephone number is 571-272-7654. The examiner can normally be reached on 8-4pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kee Tung can be reached on 571-272-7794. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Javid A Amini  
Examiner  
Art Unit 2628

Javid Amini



**Kee M. Tung**  
**Primary Examiner**